



February 9, 1990

Mr. Joseph A. Kawecki US EPA 5HSM/TUB-7 230 South Dearborn Street Chicago, IL 60604

Dear Mr. Kawecki:

WORLD HEADQUARTERS FEB 14 1990

332-3000

TECHNICAL SUPPORT SECTION .

Reference: Powell Road Landfill 5HSM-TUB-7

Pursuant to the Agency's letter dated January 8, 1990, Hobart Corporation respectfully submits the following information for your consideration.

Exhibit I. Letter from Joseph Bedwell dated January 25, 1990, concerning the Powell Road Landfill.

Exhibit II. CERCLA 103 (c) Notification filed in June, 1981.

Exhibit III. Limited copies of information submitted to the USEPA in February, 1986. A full text of the response can be obtained from the Region V files as addressed in the February 7, 1986, cover letter.

As a matter of policy purchase orders and invoices are retained for seven (7) years. Information before 1980 is not known to exist within our files.

Based on the foregoing information we are unaware of directing any waste to the Powell Road Landfill.

The foregoing report was prepared by and under the direction of James J. Carleton. I certify that all statements made are true and accurate to the best of my knowledge and belief as of this date. It is understood that if any time after submittal of this information, I find that any portion is false, then I will notify USEPA in a timely manner.

James J. Carleton,

Corporate Safety & Environmental Protection

State of Ohio, County of Miami, ss:

Before me a Notary Public in and for the State of Ohio, personally appeared James J. Carleton, Director, Corporate Safety & Environmental Protection who acknowledged the signing of the foregoing letter and certified the statements set forth above his name.

THOMAS H. RODGERS, Attorney

Notary Public, State of Ohio

My Commission has no expiration date.

Section 147.03 R.C.

F. Bazler, cover letter only pc:

EQUIPMENT, SYSTEMS AND SERVICES FOR THE WORLD'S FOOD INDUSTRY . . . IN OVER 100 COUNTRIES

EXHIBIT I



January 25, 1990

TROY, OHIO 45374

之大

то

J. J. Carleton

COPIES TO

FROM

J. J. Bedwell

M. Swiger

SUBJECT

Powell Road Landfill

The Powell Road Landfill has been closed for about seven years. This would make it about year 1982. Dayton Service Parts Center moved into the Huffman Facility June of 1982. From June 1982 to present, D.S.P.C. has used G.S.X. of Dayton for disposal of Non-Hazardous waste, trash only. This is a sister company of Laidlaw Waste Systems located at 1766 North Gettysburg Avenue, Dayton, Ohio. I checked with them and they stated that all of our trash waste has been disposed of at the Montgomery County South Incinerator Plant, 2550 Bertwynn Drive, Moraine, Ohio.

On August 12, 1985, D.S.P.C. had Ecolotec Inc., 716 North Irvin Street, Dayton, Ohio dispose of 3,100 pint cans of Epoxy Sealant. This waste was disposed of by incineration. This was Non-Hazardous, Non-Regulated material. The profile code is EC-7289.

In checking with other waste disposal companies in the Dayton area who may have disposed of, or hauled waste for us before or after 1982 were:

- Emery J. Sepeck, 4330 Springfield Pike, System Technology of Xenia, Ohio. These companies are no longer operational.
- Industrial Waste Disposal, 3975 Wagoner Ford Road, never removed waste for Hobart Corporation.
- ° Clark Oil Company of Dayton, 300 West End Avenue, never used Powell Road Landfill. Reclaimed Product only.

This is all of the information we have been able to find. It looks like we may never have contributed to the Powell Road Landfill.

Let me know if you need further information.

Joseph J. Bedwell

Safety CO-OR D.S.P.C.

/1.53

EXHIBIT II

SEPA Notification of Hazardous Waste Site

United States Environmental Protection Agency Washington DC 20460

This initial notification information is required by Section 103(c) of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 and must be mailed by June 9, 1981.

EPA Form 8900-1

Please type or print in ink. If you need

A	Person Required to Notify:		Name	Hobart	Corporation			
	Enter the name and address of the person or organization required to notify.		Street		fman Avenue			
			City	Dayton		State OH	Zip Code	45403
В	Site Location:							
		nter the common name (if known) and		Please	See Attached	Letter.		
	actual location of the site.		Street	<u> </u>		· · · · · · · · · · · · · · · · · · ·		
	·	•	City		County	State	Zip Code	
	Person to Contact:							
	Enter the name, title (if applicable)), and	Name (Last,	First and Title)	Carleton	, James J.	Project	Enginee
	business telephone number of the to contact regarding information submitted on this form.	person	Phone 5	13/335-71	71 Hobart	Corporation,	Troy, OH	45374
<u> </u>	Dates of Waste Handling:							
	Enter the years that you estimate		From (Year)		To (Year)	Please See A	ttached L	ettar
	ended at the site.	treatment, storage, or disposar began and		 	10 (1981)	120000 000 11	<u> </u>	
					-			
_	Masta Tuna: Chassa the ention		ofor to con			·	<u> </u>	
•	Waste Type: Choose the option	you pr	erer to con	ubiere	·			
	Option 1: Select general waste typ you do not know the general waste encouraged to describe the site in	e types o	sources, ye	ou are	Option 2: This of Resource Conserved (40)	ption is available to vation and Recove CFR Part 261).	o persons fan ry Act (RCRA	niliar with to Section 3
	General Type of Waste:	Source	of Waste:		Specific Type of	Waste:		
	Place an X in the appropriate	Place an boxes.	X in the ap	propriate	EPA has assigne	d a four-digit numl lations under Sect	per to each ha	azardous w
	overlap. Check each applicable category.			•	appropriate four-	digit number in the	e boxes provid	ded. A cop
						lous wastes and co PA Region serving		
	1. □ Organics	1. 🗆 Mi	ning		located.			
	2. ☐ Inorganics		nstruction		F001	F002		F003
	3. Solvents	3. 🗆 Te	xtiles		F004	F005		F006
	4. ☐ Pesticides	4. □ Fe			F007	F008		F009
	5. Heavy metals		per/Printing	- I	F017_	F018		
	6. Acids		ather Tanni	_				
	7. 🗆 Bases		n/Steel For					
	8. PCBs		emical, Ger					
	9. Mixed Municipal Waste		ating/Polish	- 1				
			litary/Amm					
			ectrical Con	ductors				
			ansformers	. 1				
	· · · · · · · · · · · · · · · · · · ·		ility Compai	I				
			nitary/Refu	ise	•		•	
	· · · · · · · · · · · · · · · · · · ·	15. 🗆 Ph		. ,			•	
			b/Hospital	•				
	,	17. 🗆 Ur						
·	•	10 M	nas /Enaciá	. I			**	
		18. 🗆 00	her (Specify	" .				
			ner (Specify	<u>''</u> ·				
	Form Approved						•	

EPA Form 8900-1

ŞEPA Notification of Hazardous Waste Site

United States Environmental Protection Agency Washington DC 20460

This initial notification information is required by Section 103(c) of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 and must be mailed by June 9, 1981.

Please type or print in ink. If you need

Sit Ent act	rson Required to Notify: ter the name and address of to organization required to notify te Location: ter the common name (if known all location of the site.	<i>.</i> .	Name Street City Name of Street	216 Sout	Corporation th Torrence Str	State	OH Zip	_{Code} 45403
Sit Ent act	ce Location: ter the common name (if known all location)	<i>.</i> .	Street City Name of	216 Sout	th Torrence St	State	OH Zip	_{Code} 45403
Sit Ent act	te Location: ter the common name (if known ual location of the site.		City Name of	Dayton		State	OH Zip	Code 45403
Per Ent bus to d	ter the common name (if know ual location of the site.	vn) and	Name of		Please see att	0.0.0	OH Zip	Code 45403
Per Ent bus to d	ter the common name (if know ual location of the site.	vn) and		Site I	Please see att			
Per Ent bus to d	ual location of the site.	vn) and		Site I	Please see att			
Per Ent bus to d			Street		·	ached letter	•	<u></u>
Ent bus to d	rson to Contact:			· .		·	<u> </u>	· · · · · · · · · · · · · · · · · · ·
Ent bus to d	rson to Contact:		City		County	State	Zip	Code
bus to (
	ter the name, title (if applicab siness telephone number of th			st, First and Title			roject E	
	contact regarding information mitted on this form.		Phone	513/335-	-/1/1 HOD	art Corporat	10n, 1ro	y, OH 453
301	omitted on this form.						•	•
Da	tes of Waste Handling:							
	er the years that you estimate		From (Yea		To (Year)	" Please ss	o ottool	ed letter.
	atment, storage, or disposal bi led at the site.	egan and	riom (Tea		10 (1681)	LICABE SE	e accaci	ed Terrer.
0110	ac at the site.			•				
Plac box ove	neral Type of Waste: ce an X in the appropriate es. The categories listed rlap. Check each applicable egory.	Source of Place an boxes.		appropriate	listed in the reg appropriate four the list of hazar	ed a four-digit nu ulations under Se -digit number in dous wastes and	ection 3001 the boxes p codes can	l of RCRA. Ente provided. A cop be obtained by
					contacting the E located.	PA Region servi	ng the State	in which the
	☐ Organics	1. 🗆 Mi	•	-		, · <u></u>		<u> </u>
	☐ Inorganics ☐ Solvents	2. □ Co 3. □ Te:	nstructio	п	F001	F002		F003
-	☐ Pesticides	4. □ Fe			F005	 	 	
	☐ Heavy metals		per/Print	tina				
	☐ Acids		ather Tar	-			 	-
7.	☐ Bases	7. 🗆 Iro	n/Steel I	Foundry				
8 .	□ PCBs	8. 🗆 Ch	emical, C	Seneral				·
	☐ Mixed Municipal Waste		iting/Pol	-			 :	
	Unknown		-	nmunition				
11.	☐ Other (Specify)			onductors			- 1	
		- 12. □ Tra		· -				•
		13. □ Ut	-		i			
		14. □ Şa 15. □ Ph					•	
		16. 🗆 La						-
		17. 🗆 Ur	•	- ,				
	•		her (Spec	rifu)				•
		10. 🗆 🗥			1			
	•	16. LI OI	noi (Opol	νιι <i>γ1</i>		•		

	Notification of Hazardous Waste Site	Side Two	
F	Waste Quantity:	Facility Type	Total Facility Waste Amount
	Place an X in the appropriate boxes to indicate the facility types found at the site.	1 ☐ Piles	cubic feet
	In the "total facility waste amount" space	2. Land Treatment	
	give the estimated combined quantity (volume) of hazardous wastes at the site	4. 🗆 Tanks	Total Facility Area
	using cubic feet or gallons.	5. 🗆 Impoundment	square feet
	In the "total facility area" space, give the estimated area size which the facilities	6. ☐ Underground Injection 7. ☐ Drums, Above Ground	acres
	occupy using square feet or acres.	8. □ Drums, Below Ground 9. ☑ Other (Specify) See atta	ched letter.
	<u> </u>		
G	Known, Suspected or Likely Releases to		□ Known □ Supported □ Likely □ None
	Place an X in the appropriate boxes to indicate or likely releases of wastes to the environmen		☐ Known ☐ Suspected ☐ Likely ☐ None
	Note: Items Hand I are optional. Completing hazardous waste sites. Although completing		
H	Sketch Map of Site Location: (Optional)	
	Sketch a map showing streets, highways, routes or other prominent landmarks near the site. Place an X on the map to indicate		
	the site location. Draw an arrow showing the direction north. You may substitute a publishing map showing the site location.		
		•	·
	<u>.</u>		
	•		
			$(\mathbf{v}_{\mathbf{s}}, \mathbf{v}_{\mathbf{s}}, $
i	Description of Site: (Optional)		•
	Describe the history and present conditions of the site. Give directions to the site and describe any nearby wells, springs, lakes, or housing. Include such information as how waste was disposed		
	and where the waste came from. Provide any other information or comments which		
	may help describe the site conditions.		
			•
	•	•	
	•		
			·
-			
J	Signature and Title:		
	(such as plant managers, superintendents, trustees or attorneys) of persons required	iame James J. Carleton, Projected World Headquarters	□ Owner, Present □ Owner, Past □ Transporter
	mailing address (if different than address		□ Operator, Pr∈
•	notification, the signature is obtional.	City Troy State (H Zip Code 45374 ☐ Operator, Past
	Check the boxes which best describe the relationship to the site of the person required to notify. If you are not required	Signature Linux 1 . CET le Com	
	to notify check "Other".		<u>, </u>



WORLD HEADQUARTERS

TROY, OHIO 45374

513 335-7171

May 13, 1981

TO L. Rosell

Hazardous Waste Coordinator, Dayton Scale

FROM J. J.

J. J. Carleton

Corporate Hazardous Waste Coordinator

SUBJECT Superfund Notification

Copies To

F. Bazler

J. Delaney

W. E. Henson

R. Lenox

R. D. Leytze

D. Riley

File

The EPA has been charged by Congress to compile information regarding past disposal of hazardous waste. The Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (commonly known as Superfund) mandates in Section 103(c) that we furnish EPA by June 9, 1981, certain information concerning our past disposal practices.

In order to comply with this request for information, I am requesting that each of you send to my attention by June 3, 1981, the below information in letter form. I will then fill in the Superfund notification form and will include with it a copy of your letter. Even though we are on the fringes of what Superfund is really after, namely abandoned sites, our compliance with the request is mandatory.

Since time is of the essence, EPA is not requiring that you painstakingly document the information submitted. This information may be based on your knowledge or reasonably available records. Your best estimates involving quantities will be satisfactory.

The following information is requested:

- 1. EPA ID Number
- 2. Waste generated at your facility be EPA Hazard Code Number. These items are found on the Notification filed in August, 1980.
- 3. Name and address of disposal site or sites used prior to disposal under RCRA in 1980. Indicate the type of landfill (eg. County Sanitary, Private Industrial, etc.). If a recycling facility, so indicate.
- 4. Dates these sites were used.
- 5. Estimate of yearly quantities.

Please sign your letter to me, and be sure to use company stationary. In the event that you should have any questions, please contact either myself or Dick Lenox in Troy.

A copy of this letter and a copy of your response will be part of the Superfund notification which will be filed by Facilities Engineering and signed by J. J. Carleton.

Please be prompt in your information dispatch.

g.g. Carleton/since

JJC/smc



WORLD HEADQUARTERS

TROY, OHIO 45374

PLEASE REPLY TO

P. O. BOX 1690 DAYTON, OHIO 45401

June 1, 1981

To:

J. J. Carleton

From:

L. P. Rosell

Subject: Superfund Notification

In reply to your memo of May 13, 1981, the EPA identification number for Torrence Street is D004237434. We have not received a number for Huffman Avenue.

The major portion of our waste, in the past, has been F002, 1,1,1 Chloroethane, and F005 Paint Thinner.

Our past records of disposal are quite sketchy, but we do show between June 4, 1973, and July 5, 1976, having averaged about 15 drums of liquid waste per month. These were hauled away by Emery Jos. Sepeck of 4330 Springfield Pk., Dayton, Ohio. They were disposed of at a private (then) turned public landfill in Marrietta, Ohio. The vast majority of this waste was water in the form of machine coolant.

Since that time, Systems Technology of Xenia, Ohio, has picked up and reclaimed our waste. More recently Clark Oil Co. of Dayton has picked it up and reclaimed it.

A recent check of quantities indicates that we generate about 1 drum per month, each of Trichlor, and Paint Solvent, and 2 drums per month of a mixture of Stoddard Solvent and Cutting Oil.

It is reasonable to assume that since our production was higher in the past, that we problbly generated more waste in the past.

Let me know if you need further information.

Manager, Facilities Engineering

mkm

EXHIBIT III



bcc: F. Bazler

R. Leytze

T. Rodgers

C. Tisdale

R. Wilsek

WORLD HEADQUARTERS TROY, OHIO 45374 513 33 February 7, 1986

Ms. Shirley Dorsey
U.S. EPA Region V
Waste Management Division
Hazardous Waste Enforcement Branch
CERCLA Enforcement Section
230 South Dearborn Street
Chicago, Illinois 60604

Ref: Vandale Junkyard

Dear Ms. Dorsey:

Pursuant to the Agency's letter dated January 7, 1986, Hobart Corporation respectfully submits the following information for your consideration.

- I. Potentially Responsible Party Identification.
 - 1. Mailing Address
 Hobart Corporation
 World Headquarters
 Troy, OH 45374
 - Potentially Responsible Plant Location
 The Hobart Manufacturing Company, now known as Hobart Corporation
 Dayton Scale Division
 216 South Torrence Street

and/or

448 Huffman Avenue
Dayton, Ohio 45403

- 3. Hobart Corporation contacts
 - a. James J. Carleton, Manager, Safety & Environmental Protection company contact (513) 332-2297.
 - b. E.M. Davis, President authorized signatory for Hobart Corporation (513) 332-3000.
- II. Abatement of Releases or Threatened Releases

Hobart Corporation does not believe that it is involved in any disposal of its waste at the Vandale Junkyard. However, should it be shown to the contrary that Hobart Corporation is involved in the CERCLA Site, then we will cooperate with the U.S. Environmental Protection Agency in obtaining an equitable financial solution involving the costs associated with abating any releases or threatened releases of hazardous substances, pollutants and contaminants pertaining to the Vandale Junkyard.

III. Current Involvement

Hobart Corporation was requested by the Ohio Environmental Protection Agency in March, 1984 to supply information concerning our potential involvement with the Vandale Junkyard. Reference Exhibit "A".

During the fact finding process conducted by Hobart for OEPA, Hobart came to the conclusion that the CERCLA 103 (c) response filed on June 8, 1981 was in error. Hobart does not have any documentation or knowledge involving disposal of any waste at the Vandale Junkyard. All available information was submitted to OEPA on April 10, 1984. Reference Exhibit "B".

IV. Meeting of Potentially Responsible Parties with USEPA.

Hobart Corporation will have a representative available to attend a meeting between USEPA and the potentially responsible parties to discuss this matter and the related work requirement specifications.

V. Waste Disposal Profile

- 1. Copies of shipping documents to disposal site.

 Records of invoices and related documents are maintained on microfilm for a period of seven years. Invoices covering shipments of liquid waste hauled by Emery Joseph Sepeck dating back to June 4, 1973 were uncovered during a search thru old boxes of records. Records prior to 1973 are apparently not available. Disposal records involving other vendors from 1976 thru 1985 and the invoices involving Emery Joseph Sepeck are included in Exhibit "C".
- 2. Chemical Composition of Waste Material
 The waste sent out from the Dayton Scale facilities is detailed in
 the information submitted to OEPA. Refer to Exhibit "B".
- 3. Disposal Quantities
 - a. The liquid waste hauled by Emery Joseph Sepeck from 1973 to 1976 to an unknown site was as follows.

1973 98-55 gallon drums 5,390 gallons

1974 244-55 gallon drums 13,420 gallons

1975 180-55 gallon drums 9,900 gallons

1976 24-55 gallon drums 1,320 gallons

- b. Quantities of liquid waste disposed of between 1976 and 1981 are contained in Exhibit "B".
- c. Quantities of liquid waste disposed of between 1982 and 1985 was as follows.
 - 1. Clark Oil

 1982

 300 gallons

 1986 (January) 250 gallons for years 1983 through 1985.
 Cutting oils and machine coolants are separated from the water. The water goes to the local POTW and the small amounts of left over oil is mixed with the solvent sent to EPS for recycling. This waste minimization began in 1981. (Larger amounts of machine oils are accumulated in drums for disposal to Clark Oil.)

2. Environmental Processing Service (EPS)
A total of 7,425 gallons of various solvents including
Stoddard Solvent, 1,1,1 - trichloroethane and paint thinner
was recycled by Environmental Processing Services between
August 11, 1981 and December 19, 1985. Please refer to
EPS data in Exhibit "C".

List of possible PR(

4&5 Transportation

Transportation was provided by the company disposing of the waste. The following address information is believed to be accurate.

Emery Joseph Sepeck 4330 Springfield Street Dayton, OH 45431 (513) 252-3722

Clark Oil 300 S. West Avenue Dayton, OH 45427 (513) 268-6501

Environmental Processing Services 1288 McCook Avenue Dayton, OH 45404 (513) 222-1062

Solvent Resource Recovery P.O. Box 453 West Carrollton, OH 45449 (513) 859-6101

Tricil Environmental Services, Inc.
Talbott Towers
Dayton, OH 45402
(513) 228-9532

Systech Liquid Treatment Corporation 245 North Valley Road Xenia, OH 45385 (513) 372-8077

6. Chemical Analysis

A chemical analysis of waste disposed of by the plant prior to 1980 was not performed to the best of my knowledge. Following the RCRA regulations promulgated by USEPA in 1980, all waste streams of Hobart Corporation were evaluated and proper disposal arrangements were put into place. Exhibit "B" contains test data performed by the plant. Some typical Material Safety Data Sheets are supplied in Exhibit "D" for reference.

7. The insurance policies carry the standard pollution exclusion, that is, nothing is covered unless it is sudden and accidental. Please refer to Exhibit "E" addressing the insurance issue.

The foregoing report was prepared by and under the direction of James J. Carleton. I certify that all statements made and documentation provided is true and accurate to the best of my knowledge and belief as of this date. It is understood that if at any time after submittal of this information, I find that any portion is false, then I will notify USEPA in a timely manner.

James J. Carfeton, Manager

2-19-06

Corporate Safety & Environmental

Protection

The foregoing report has been read and approved by me as submitted to USEPA, Region V. I certify that all the information and documents are true and accurate to the best of my knowledge and belief. It is understood that if at any time after submittal of this information I find that any portion is false, then I will notify USEPA in a timely manner.

E.M. Davis, President Hobart Corporation

State of Ohio, County of Miami, ss:

Before me a Notary Public in and for the State of Ohio, personally appeared James J. Carleton, Manager, Corporate Safety and Environmental Protection, Hobart Corporation, and E.M. Davis, President, Hobart Corporation, each of whom acknowledged the signing of the foregoing letter and certified the statements set forth above their respective names.

JJC/sma Attachments

cc: Ohio EPA
Mike Sparkey
Southeast District Office
2195 Front Street
Logan, OH 43138

THOMAS H. RODGERS. Attorney C.

Notary Public. State of Ohlo

My Commission has no expiration details

Section 147.03 R.C.

EXHIBIT IIIA



Hobart Corporation Troy, Ohio 45374

March 9, 1984

Attention: James J. Carleton, Project Engineer

Dear Sir:

Ohio EPA and USEPA are investigating a site in Washington County, Ohio, which accepted industrial wastes prior to the implementation of the hazardous waste regulations. The site is referred to as the Vandale Junkyard and is located on Goose Run Road (County Road 83) and is about 3 miles east of Marietta.

We have a copy of your CERCLA 103(c) response and the L.P. Rosell attachment dated June 1, 1981 which states that material from Hobart went to a site near Marietta for disposal. The site we are studying is located adjacent to a landfill. We request that your further investigate your past waste disposal practices to determine exactly where your waste was taken. If this information is not readily available from your files, we suggest you contact experienced employees or ex-employees to obtain the information. We also request that you send any analytical or other descriptive information on your past waste, if available. If this is not available, may we assume that the wastes you are currently generating are basically the same as those generated previously?

Please respond as soon as possible to this request and contact me if your response will take over 30 days or if you have any questions.

Sincerely,

Patrick H. Gorman

Environmental Scientist

Division of Solid and Hazardous Waste

atrick H Dorman

PHG:dm


cc Jack Van Kley, Attorney General's Office

cc: Don Marshall, SWDO

RECEIVED

MAR 15 1984

SAFETY & ENVIRONMENTAL PROTECTION



Copiec to:

R. Leytye

F. Baylor

R. Wilsek - OKI

T. Bunks - DKI

C. Tidale - KING & SPALDING

C. Cochran

March 14, 1984

James J. Carleton Project Engineer Hobart Corporation Troy, Ohio 45374

Dear Mr. Carleton:

Enclosed is a letter from Ohio EPA requesting information about your waste disposal practices, especially in regards to disposal of waste at Vandale Junkyard in Marietta. Because we are currently litigating against the owners and operators of Vandale Jukyard, it was thought appropriate that I send this letter.

Please respond to this information request as soon as possible. While you should supply the requested information to Pat Gorman of Ohio EPA, feel free to also contact me with any questions if you so desire.

Sincerely yours,

Jack Van Kley

Assistant Attorney General

(614) 466-2766

JAVK: cw

Enc.

cc: Pat Gorman, SEDO
Ben Pfefferle, Legal
Roger Hannahs, CO
Don Marshall, SWDO

RECEIVED

MAR 15 1984

SAFETY & ENVIRONMENTAL PROTECTION



WORLD HEADQUARTERS TROY, OHIO 45374 513 335-7171

April 10, 1984

Ohio EPA Patrick H. Gorman Southeast District Office 2195 Front Street Logan, OH 43138

Dear Mr. Gorman:

I am responding to your request for information concerning the past waste disposal practices of the Dayton Plants of Hobart Corporation.

Hobart has two plant facilities in Dayton which are within 2 blocks of each other.

- 1. 216 South Torrence Street
- 2. 448 Huffman Avenue

The Torrence Street Plant was and still is an assembly facility. In July of 1982 the Huffman Avenue Plant ceased manufacturing operations and the facility was converted to a parts distribution center. The Torrence Street Plant has always had extremely small amounts of liquid materials for disposal. In 1981 (refer to Exhibit I) Les Rosell responded to Don Marshall of OEPA concerning the Industrial Waste Survey. The quantity of liquid waste from Torrence amounted to 110 gallons/year of waste 1,1,1 - trichloroethane. This type of waste and quantity would have been expected from Torrence during the time period in question, namely 1973 thru 1980. Because of the small quantity of waste generated by Torrence, the Huffman Plant would combine the Torrence waste with its own waste for disposal. As can be seen in Exhibit I, the major portion of the waste was from Huffman.

The wastes generated during the 1973-1980 time frame consisted of the following materials:

- 1. 1,1,1 Trichloroethane and cutting oil from degreasing.
- 2. Combination of methyl ethyl ketone, xylene, and paint.
- 3. Stoddard solvent and cutting oil from degreasing.
- 4. Machine tool water based synthetic coolants contaminated with cutting oils and solvents.

All four items were combined in single drums between 1973 and 1976. In 1976 Joe Sepeck informed Hobart that he no longer was in the business to haul our type of waste and, therefore, we should find another means of disposal. At that time, we began to separate the wastes as outlined above into single drums.

Patrick H. Gorman April 10, 1984 Page 2

I contacted Les Rosell, who is now a former Hobart employee, requesting any additional data that he might be able to remember concerning waste disposal prior to RCRA. The letter that Mr. Rosell generated on June 1, 1981 (Exhibit II) for our subsequent CERCLA 103(c) response contained information he obtained from Emery Joseph Sepeck and from his own files. The exact dates of June 4, 1973 thru July 5, 1976 came directly from Joe Sepeck according to Les Rosell.

I called Mr. Sepeck on March 21, 1984 to confirm the information contained in Les Rosell's letter of June 1, 1981. Joe Sepeck told me that he did not take any of Hobarts waste to Marietta but rather to the Blalock Landfill on Dorothy Lanc in Dayton and the South Dayton Landfill in Dayton. He said he had no reason to take our waste out of the Dayton area during the time period in question. A subsequent call to Mr. Rosell could neither confirm nor deny Joe Sepeck's statement of where the material had been disposed.

We then commenced a search of our records based on suggestions made by Les Rosell concerning possible disposal sources that he had used after July 5, 1976. Mr. Rosell indicated that he had to separate his waste into the four categories described earlier in order to satisfy the disposal companies. We contaced the five disposal companies provided by Mr. Rosell for documentation of handling waste from 448 Huffman. Those five companies are: Clark Oil Company, Environmental Processing Services, Solvent Resource Recovery, Systech Liquid Treatment Corporation and TriCil Environmental Services, Inc. Pursuant to your suggestion Pat, we also checked on the name "Combined Systems Waste Disposal Company" which Joe Sepeck became involved with in 1978. We could not find any invoices from that vendor.

I believe we have accounted for all of our liquid waste disposed of between 1976 and 1981. Exhibit III, Waste Vendors and Amounts, details each waste shipment per disposal facility as detailed by information submitted by the vendor or obtained from Hobart records. Exhibit IV, Summary of Wastes from 3-17-76 thru 10-19-81, accounts for the liquid waste that would seem reasonable for the plant to have generated.

Exhibit V represents analysis of our paint sludge and the waste water-based coolant. This data would be typical of the waste generated between 1973 and 1981.

In closing, I believe that the information concerning disposal of liquid waste in Marietta, Ohio was erroneous as stated in the letter from L.P. Rosell dated June 1, 1981. Furthermore, we have no apparent evidence indicating that any of llobart's waste was ever taken to Marietta.

Patrick H. Gorman April 10, 1984 Page 3

Please evaluate this information and if I can be of any further assistance, please contact me in Troy, Ohio at (513) 335-7171, extension 2751.

Sincerely,

James J. Carleton, Manager

Corporate Safety & Environmental

Protection

:sma

Attachments

cc: Jack A. VanKley, Assistant Attorney General of the State of Ohio
Don Marshall, OEPA

bcc: R. Leytze

- F. Bazler
- C. Cochran
- R. Wilsek DKI
- T. Banks DKI
- C. Tisdale King & Spalding



WORLD HEADQUARTERS TROY, OHIO 45374

PLEASE REPLY TO

P. O. BCX 1690 DAYTON, OHIO 45401

April 13, 1981

Ohio EPA Southwest District Office 7 East Fourth Street Dayton, Ohio 45402

Attention: Mr. Donald S. Marshall Environmental Specialist

Dear Sir:

Enclosed are the survey forms that you requested pertaining to waste generated at Hobart's two plants. These are correct and complete to the best of my knowledge.

Please let me know if you require further information.

Sincerely yours,

L. P. Rosell

Mgr., Facilities Engineering

? (Kerell

mkm

MARK WHEAT

1981 INDUSTRIAL WASTE SURVEY

A. Company Information

Company Name:

Hobart Corporation

2. Company Address:

448 Huffman Avenue, Dayton, Ohio 45403

3. County in which company located:

Montgomery

4. Name of person responding to survey:

Telephone:

254-8451

L. P. Rosell
Description of wastes currently produced:

Waste name	quantity generated	solid, sludge liquid, hazardous	on-or off-site	method (pit, incinerator,
	, w		disposal	landfill, etc
Trash Solvent-oil	32 Cu. Yd./Wk. 55 Gal./Mo.	Solid	Off	Landfill
Solvent-paint	30 Gal./Mo.	Liquid Liquid-Hazardous	Off Off	Reclaim Reclaim
Chlorothene VG	30 Gal./Mo.	Liquid	. Off	Reclaim

C. Off-site: Give haulers name and address, and site of ultimate disposal, for each of the above listed wastes.

Koogler-Suburban, 4080 Industrial Lane, Dayton, Ohio 45430 Landfill Clark Oil Co., 300 S. West End Avenue, Dayton, Ohio 45427 Reclaim Solvent Resources Recovery, P.O. Box 453, West Carrolton, Ohio 45449 Reclaim

D. Closed sites: Give waste descriptions and approximate quantities for any wastes previously disposed in a now closed or inactive on-site facility. Give dates site used and closed.

. NONE

E. If you were unable to answer any above questions because the information is considered confidential by your company, indicate this here and we will contact you personally.

1981 INDÚSTRIAL WASTE SÜKVEY

Company Information

Company Name:

Hobart Corporation

2. Company Address:

216 S. Torrence Street, Dayton, Ohio 45403

County in which company located:

Montgomery' Name of person responding to survey:

Telephone:

254-8451

L. P. Rosell

Description of wastes currently produced: method (pit, Waste name quantity generated solid, sludge on-or off-site incinerator, liquid, hazardous landfill, etc.) disposal

8 Cu. Yd./Day Solid Off Landfill Chlorothene V.G. 110 Gal./Yr. Sludge. Off Reclaim

Off-site: Give haulers name and address, and site of ultimate disposal, for each of the above listed wastes.

N&N Commercial Waste, P.O. Box 202, Forest Park Station, Dayton, Ohio 45405 Landfill

Solvent Resource recovery, Inc., P.O. Box 453, West Carrollton, Ohio 45449 Reclaim

Closed sites: Give waste descriptions and approximate quantities for any wastes previously disposed in a now closed or inactive on-site facility. Give dates site used and closed.

NONE

If you were unable to answer any above questions because the information is considered confidential by your company, indicate this here and we will contact you personally.



WORLD HEADQUARTERS

TROY, OHIO 45374

PLEASE REPLY TO

P. O. BOX 1690 DAYTON, OHIO 45401

June 1, 1981

To:

J. J. Carleton

From:

L. P. Rosell

Subject: Superfund Notification

In reply to your memo of May 13, 1981, the EPA identification number for Torrence Street is D004237434. We have not received a number for Huffman Avenue.

The major portion of our waste, in the past, has been F002, 1,1,1 Chloroethane, and F005 Paint Thinner.

Our past records of disposal are quite sketchy, but we do show between June 4, 1973, and July 5, 1976, having averaged about 15 drums of liquid waste per month. These were hauled away by Emery Jos. Sepeck of 4330 Springfield Pk., Dayton, Ohio. They were disposed of at a private (then) turned public landfill in Marrietta, Ohio. The vast majority of this waste was water in the form of machine coolant.

Since that time, Systems Technology of Xenia, Ohio, has picked up and reclaimed our waste. More recently Clark Oil Co. of Dayton has picked it up and reclaimed it.

A recent check of quantities indicates that we generate about 1 drum per month, each of Trichlor, and Paint Solvent, and 2 drums per month of a mixture of Stoddard Solvent and Cutting Oil.

It is reasonable to assume that since our production was higher in the past, that we problbly generated more waste in the past.

Let me know if you need further information.

Manager, Facilities Engineering

mkm

WASTE VENDORS AND AMOUNTS

1.	COMPANY	DATE	DESCRIPTION	AMOUNT	COST
	Clark Oil	9/17/79	Solvent Waste Oil + H ₂ O	1,650 gal.	\$ 183.81
	Clark Oil	9/17/79	Solvent Waste Oil + H20	1,650 gal.	· -
	Clark Oil	5/2/80	Solvent Waste Oil + H20	1,000 gal.	250.00
	Clark Oil	8/25/80	Solvent Waste Oil + H_2^2 0	1,425 gal.	356.20
	Clark Oil	11/25/80	Stoddard Solvent Waste Oil		62.95
	Clark Oil	1/30/81	Stoddard Solvent Waste Oil	850 gal.	44.20
	Clark Oil	6/11/81	Stoddard Solvent Waste Oil	611 gal.	97.76
		- ^11 o	ils reclaimed and resold -		

		The state of the state of	•	•	
2.	COMPANY	DATE	DESCRIPTION	AMOUNT	COST
	Environmental	8/14/81	Stoddard Solvent	191 gal.	\$ 353.35
	Processing	10/19/81	Stoddard Solvent	220 gal.	407.00
	Services	1/18/82	Paint Thinner	148 gal.	273.00
		4/15/82	Stoddard Solvent	495 gal.	915.75
:	1 .	8/26/82	Stoddard Solvent	275 021	508 751

- All solvents reclaimed and resold -

3 .	COMPANY	DATE	DESCRIPTION	AMOUNT	COST
.*	Solvent Resource	4/14/81	1,1,1 Trichloroethane	275 gal.	\$ -
	Recovery	4/14/81	Waste Paint Thinner	110 gal.	-
		8/7/81	Reconditioned Thinner	165 gal.	387.75

- All solvent and thinners reclaimed and resold -

TRICIL	DATE	DESCRIPTION	AMOUNT	COST
Environmental	12/17/76	1,1,1 Trichloroethane		
Services, Inc.		Waste	220 gal.	\$ 20.00
	12/23/76	1,1,1 Trichloroethane	·	
		Waste	660 gal.	792.00
	1/4/77	1,1,1 Trichloroethane	·	
		Waste	440 gal.	572.00
·	1/4/77	Waste Oil & Stoddard		
		Solvent	660 gal.	110.00
Systech Liquid	4/1/77	Waste Oil & Stoddard		
Treatment Corp		Solvent	3,135 gal.	285.00
	6/23/77	1,1,1 Trichloroethane	:	
		Waste	2,530 gal.	230.00
	9/9/77	1,1,1 Trichloroethane/		
		Oil Stoddard	2,310 gal.	210.00
	1/1/78	1,1,1 Trichloroethane/		
J 59. 5		Oil Stoddard	2,200 gal.	200.00
	5/19/78	Waste Solvents/Oil/Water	2,750 gal.	250.00
	8/13/81	Electroless Copper/	, ·	
		Synthetic Coolant	3,080 gal.	1,680.00
	8/17/81	Electroless Copper	1,155 gal.	630.00

- Solvents reclaimed and sold back to Hobart -

5	COMPANY	DATE	DESCRIPTION	AMOUNT	COST
	Emery Joseph	3/17/76	Solvents/Oil/Water	550 gal.	\$ 50.00
	Sepeck	7/19/76	Solvents/Oil/Water	770 gal.	70.00
	·	THIS WAST	WAS HAULED TO LOCAL LAND	FILL.	l

SUMMARY OF WASTES FROM 3/17/76 THRU 10/19/81

FQ.	RECLAIMER/HAULER	DATE	DESCRIPTION	AMOUNT	COST
i	Emery Joseph Sepeck	3/17/76	Waste Solvents/Oil/Water	550 gal.	\$ 50.00
. 2	Emery Joseph Sepeck	7/19/76	Waste Solvents/Oil/Water	770 gal.	70.00
3	Systech Liquid Treatment	12/17/76	1,1,1 Trichloroethane (Used)	220 gal.	20.00
4	Systech Liquid Treatment	12/23/76	1,1,1 Trichloroethane (Used)	660 gal.	792.00
5	Systech Liquid Treatment	1/4/77	1,1,1 Trichloroethane (Used)	440 gal.	572.00
6 ·	Systech Liquid Treatment	1/4/77	Oil/Stoddard Solvent Waste	660 gal.	110.00
7	Systech Liquid Treatment	4/1/77	Oil/Stoddard Solvent Waste	3,135 gal.	285.00
8	Systech Liquid Treatment	6/23/77	1,1,1 Trichloroethane Waste	2,530 gal.	230.00
. 9	Systech Liquid Treatment	9/9/.77	Stoddard Solvent/Oil		!
			1,1,1 Trichloroethane Waste	2,310 gai.	210.00
10	Systech Liquid Treatment	1/1/78	Stoddard Solvent/Oil		
		- '	1,1,1 Trichloroethane Waste	2,200 gal.	200.00
11	Systech Liquid Treatment	5/19/78	1,1,1 Trichloroethane		.
·		· · · · ·	Stoddard Solvent/Oil/Water	2,750 gals	250,00
12.	Clark Oil Company	9/17/79	Stoddard Solvent	·	i i
			Waste Oil and Water	1,650 gal.	183.81
13	Clark Oil Company	9/17/79	Stoddard Solvent		
		- 1 1 -	Waste Oil and Water	1,650 gal.	-
14	Clark Oil Company	5/2/80	Stoddard Solvent		
			Waste Oil and Water	1,000 gal.	250.00
15	Clark Oil Company	8/25/80	Stoddard Solvent		!
			Waste Oil and Water	1,425 gal.	356.20
	Clark Oil Company	11/25/80			52.95
	Clark Oil Company		Waste Oil/Stoddard Solvent	850 gal.	44.20
	Solvent Resource Recovery	4/14/81	1,1,1 Trichloroethane Waste	275 gal.	
	Solvent Resource Recovery	4/14/81	Paint Thinner Waste	110 gal.	
	Clark Oil Company	6/11/81	Stoddard Solvent/Spdle. Oils	611 gal.	37.76
	Solvent Resource Recovery	8/7/81	Paint Thinner Waste	165 gal.	387.75
22	TriCil Environmental	8/13/81	Electroless Copper and		1 (00 00
		0 /1 / /01	Synthetic Coolant	3,080 gal.	1,680.00
	Environmental Processing	8/14/81	Stoddard Solvent	191 gal	353.55
24	Environmental Processing	10/19/81	Stoddard Solvent	220 gal.	407.00
	(1976 thru	1981)	TOTALS	27,452 gal.	\$ 6,612.22

MONVARD. LABORATORIES, INC.

a 3601 S. DIXIE DRIVE DAYTON, CHIO 45/139 (513) 294-6856

MAILING ADDRESS

POST OFFICE BOX 369 DAYTON, OHIO 45449

April 22, 1981

ANALTYICAL RESULTS

No. 7469

HOBART CORPORATION Commercial Division S. Ridge Ave. at Court St. Troy, Ohio 45374

Attn: Les Roselle

Sample: Hobart Mfg. Paint Sludge Sample Received 4-10-81

非512440

Ignitability - Flash Point

88°C

Toxicity:

Sample was prepared as designated in Extraction Procedure per Federal Register, May 19, 1980.

Leachate	e analyzed as	follows:				mg/L
	Arsenic		: - -	•	e dige	<0.004
	Barium					0.053
	Cadmium					0.012
• •	Lead	•				<0.010
	Mercury				• •	0.0004
	Nickel	e e		•	1.4	<0.010
	Selenium					<0.005
	Silver	Aug.				<0.010
	Chromium				1.	0.020
	Hexavalent Cl	hromium		-	: '	0.014
			1			ė
pH Adju	stment Inform	ation:				

Initial pll 4.80 S.U. 5.20 S.U. Final pll mls 0.5N Acetic Acid/gr sample 0.00 mls

< - Less than

WATER QUALITY MONITORING

DUWSEK-IMIORNER Testing Laboratories, Inc.

 CORPORATE ADDRESS
 • 420 Davis Ave.
 • P.O. Box 51
 • Deyton, Ohio 45401
 • 513/253-8806

 TOLEDO DISTRICT
 • 122 S. St. Clair St.
 • P.O. Box 838
 • Toledo, Ohio 43696
 • 419/255-8200

 KENTUCKY DISTRICT
 • Route 8 West
 • P.O. Box 636
 • Mayaville, Kentucky 41056
 • 606/584-5508

LABORATORY REPORT

Hobart Corporation

216 South Torrence Street

Report to: Dayton, Ohio 45403

Attn: Mr. Les Rosell

Date: March 3, 1981 Laboratory No. L 021861

Authorization:

Report on: Two (2) coolant water samples were received on February 18, 1981 for soluble metal analysis.

SAMPLE INFORMATION:

The coolant water samples were identified as:

Hobart Corporation #1 Discool #2 Kleen Kool

The coolant solutions contained a biodegradable additive.

TEST PROCEDURES:

- 1) The coolant water samples were filtered through 0.45 micrometer membrane filters for soluble (dissolved) metals analysis.
- 2) Quantitative analysis of soluble metal concentrations performed by atomic absorption spectroscopy.

TEST RESULTS:

Coolant Water Sample

Parameter		Discool	Kleen Kool
Aluminum, mg/l		5.1	0.2
Chromium, mg/l	,	0.12	0.05
Copper, mg/1		2.72	0.03
Lead, mg/l	•	0.64	0.23
Zinc, mg/l	•	7.75	3.25

Respectfully Submitted,

BOWSER-MORNER Testing Laboratories, Inc.

Michael W. Zimmerman

Michael W. Zimmerman Environmental Chemist

Analytical Chemistry Laboratory

1-Client 2-File MWZ/pc



As a Mutual Protection to Clients, the Public and Ourselves, All Reports Are Submitted as the Confidential Property of Clients, and Authorization for Publication of Statements, Conclusions or Extracts from or Regarding Our Reports is Reserved Pending Our Written Approval

BOWSER-MORNER Testing Laboratories, Inc.

CORPORATE ADDRESS • 420 Davis Ave. • P.O. Box 51 • Dayton, Ohio 45401 • 513/253-8806
TOLEDO DISTRICT • 122 S St. Clair St. • P.O. Box 838 • Toledo, Ohio 43696 • 419/255-8200
KENTUCKY DISTRICT • Route 8 West • P.O. Box 636 • Maysville, Kentucky 41056 • 606/564-5508

LABORATORY REPORT

Hobart Corporation
216 South Torrence Street
Report to: Dayton, Ohio 45403
Attn: Mr. Les Rosell

Date: March 10, 1981 Laboratory No. L 021861A Authorization: 41101

Report on: Two (2) Coolant Water Samples Received February 18, 1981 for Additional Analysis of Soluble Cadmium and Mercury.

SAMPLE INFORMATION:

The coolant water samples were identified as:

Hobart Corporation: #1 Discool #2 Kleen Kool

The coolant solutions contained a biodegradable additive.

TEST PROCEDURES:

- The coolant water samples were filtered through 0.45 micrometer membrane filters for soluble (dissolved) metals analysis.
- Quantitative analysis of soluble metal concentrations performed by atomic absorption spectrophotometry.
- 3) All analyses performed in accordance with Standard Methods for the Examination of Water and Wastewater, 14th Edition, 1975.

TEST RESULTS:

0.29

Respectfully Submitted,

BOWSER-MORNER Testing Laboratories, Inc.

Michael W. Zimmerman Environmental Chemist

whal w.

Analytical Chemistry Laboratory

1-Client 2-File MWZ/pc



PMI FOCT AOUP WORLD F. JOHN AHTERS TROY, OHIO 45374-0001

CERTIFIED MAIL NO. 34

RETURN RECEIPT REQUESTED

PMI Food Equipment Group

World Headquarters Troy, Ohio 45374

FIRST CLASS

MR JOSEPH A KAWECKI US EPA 5HSM/TUB-7 230 SOUTH DEARBORN STREET CHICAGO IL 60604

F-28510

RETURN REQUESTED

HSM-7

(FEB12'90) U.S.PUSTAGE (FEB12'90) ≅ 3.40 ≅ (OH10 P.B.METES (CITT'698